

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	127	(provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) near15 (userID\$1 or id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:23
L2	14	(provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) near15 (userID\$1 or id\$1 or identification\$1).ab. and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:30
L3	1586	(provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:33
L4	0	key near server same (provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:33
L5	1109	server same (provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:34
L6	29	server same (provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near10 content near2 server\$1 near15 (user\$1 or client\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:34
L7	4	server same (provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near10 content near2 server\$1 near15 (user\$1 or client\$1) and server\$1 near15 receiv\$4 near10 (userID\$1 or id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:39

L8	287	client\$1 near10 receiv\$4 near15 url near10 (dns or server) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:40
L9	107	client\$1 near10 receiv\$4 near15 url near10 (dns or server) and (dns or server) near15 (userID\$1 or id\$1 or identification\$1)and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:02
L11	1651	key near2 server and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:02
L12	18797586	key near2 server near15 client\$1and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:02
L13	474	key near2 server near15 client\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:02
L14	53	key near2 server near15 (userID\$1 or id\$1 or identification\$1) near15 client\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:03
L15	27	key near2 server near15 (userID\$1 or id\$1 or identification\$1) near15 client\$1 and key near2 server near15 (transmit\$4 or sent\$1 or send\$3 or provid\$4) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:09
L16	0	key near2 server near15 (userID\$1 or id\$1 or identification\$1) near15 client\$1 and key near2 server near15 (transmit\$4 or sent\$1 or send\$3 or provid\$4) near15 (url\$1 or address\$3) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:10

L17	0	key near2 server near15 (userID\$1 or id\$1 or identification\$1) near15 client\$1 and dns near15 (transmit\$4 or sent\$1 or send\$3 or provid\$4) near15 (url\$1 or address\$3) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:10
L18	4	dns near15 (userID\$1 or id\$1 or identification\$1) near15 client\$1 and dns near15 (transmit\$4 or sent\$1 or send\$3 or provid\$4) near15 (url\$1 or address\$3) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 12:10
L19	381	key near10 server near15 receiv\$4 near15 (userID\$1 or id\$1 or identification\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:19
L20	51	key near10 server near15 receiv\$4 near15 (userID\$1 or id\$1 or identification\$1) same (provid\$4 or transmit\$4 or send\$4 or sent\$1) near15 content\$1	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:20
L21	4	key near10 server near15 receiv\$4 near15 (userID\$1 or id\$1 or identification\$1) same (provid\$4 or transmit\$4 or send\$4 or sent\$1) near15 content\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:21
L23	3	key near10 server near15 (userID\$1 or id\$1 or identification\$1) near url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:23
L24	151	server near15 (userID\$1 or id\$1 or identification\$1) near url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:22
L25	0	key near10 server near15 receiv\$4 near15 (userID\$1 or id\$1 or identification\$1) near15 url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:22
L26	6	key near10 server near15 (userID\$1 or id\$1 or identification\$1) near15 url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT	OR	OFF	2006/01/10 12:23

L27	857	server near15 (sent\$1 or send\$4 or transmit\$4 or provid\$4) near15 key near15 (user\$1 or client\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:31
L28	213	server near15 (sent\$1 or send\$4 or transmit\$4 or provid\$4) near15 key near15 (user\$1 or client\$1) same connect\$4 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:32
L29	172	server near15 (sent\$1 or send\$4 or transmit\$4 or provid\$4) near15 key near15 (user\$1 or client\$1) same connect\$4 and (id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:33
L30	18797653	server near15 (sent\$1 or send\$4 or transmit\$4 or provid\$4) near15 key near15 (user\$1 or client\$1) same connect\$4 and (id\$1 or identification\$1) and download\$4 near15 content\$1 (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:33
L31	21	server near15 (sent\$1 or send\$4 or transmit\$4 or provid\$4) near15 key near15 (user\$1 or client\$1) same connect\$4 and (id\$1 or identification\$1) and download\$4 near15 content\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:44
L32	74	client near15 login near15 key and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:46
L33	0	client near15 login near15 key same download\$4 near10 content\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:47
L34	1	client near15 login near15 key same download\$4 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:50

L35	0	authenticat\$4 near15 client near15 download\$3 near15 content near server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:51
L36	0	authenticat\$4 near15 client near15 content near server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:51
L37	30	authenticat\$4 near15 client near15 content near server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:51
L38	2	authenticat\$4 near15 client near15 download\$3 near15 content near server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:51
L39	1	authenticat\$4 near15 client near15 download\$3 near15 content near server\$1 and (id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09
L40	727	server near10 (provid\$4 or transmit\$4 or sent\$1 or send\$3) near10 key near15 (client or user\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:10
L41	56	server near10 (provid\$4 or transmit\$4 or sent\$1 or send\$3) near10 key near15 (client or user\$1) near10 connect\$3 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:13
L42	3	server near10 (provid\$4 or transmit\$4 or sent\$1 or send\$3) near10 key and key near15 allow\$4 near15 (client or user\$1) near10 connect\$3 near15 server and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:16

L43	57	(provid\$4 or transmit\$4 or sent\$1 or send\$3) near10 key near15 (client or user\$1) near10 connect\$3 near15 server and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:16
L44	11	(provid\$4 or transmit\$4 or sent\$1 or send\$3) near10 key near15 (client or user\$1) near10 connect\$3 near15 server.ab. and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:16
S1	1	"20050076096"	US-PGPUB; USPAT	OR	OFF	2006/01/09 13:37
S16	0	"6353849".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:37
S17	1	"6311190".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:32
S18	15961	key near15 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:32
S19	1012	key near15 server near15 (registration\$1 or user\$1) near2 (id\$1 or identification\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:33
S20	156	key near15 server near15 receiv\$4 near15 (registration\$1 or user\$1) near2 (id\$1 or identification\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:34
S21	31	key near15 server near15 receiv\$4 near15 (registration\$1 or user\$1) near2 (id\$1 or identification\$1) and content near2 server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:34

S22	0	key near15 server near15 receiv\$4 near15 (registration\$1 or user\$1) near2 (id\$1 or identification\$1) and content near2 server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:35
S23	34	key near15 server near15 receiv\$4 near15 (registration\$1 or user\$1) near2 (id\$1 or identification\$1) and server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:46
S24	533	key adj server\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:38
S25	7	key adj server\$1 near15 receiv\$4 near15 (id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:41
S26	1	key adj server\$1 near15 (send\$4 or sent\$1 or transmit\$4) near15 url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:46
S27	2	key adj server\$1 near15 url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:45
S28	4	server near15 receiv\$4 near15 (registration\$1 or user\$1) near2 (id\$1 or identification\$1) near15 (send\$4 or sent\$1 or transmit\$4) near10 url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:50
S29	1	server near15 receiv\$4 near15 (id\$1 or identification\$1) near15 (send\$4 or sent\$1 or transmit\$4) near10 url near14 client\$1 and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 17:51

S30	15	server near15 receiv\$4 near15 (id\$1 or identification\$1) near15 (send\$4 or sent\$1 or transmit\$4) near10 url and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 18:07
S31	61	server near15 (provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) near15 (id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 18:30
S32	0	("2005/0010787").URPN.	USPAT	OR	OFF	2006/01/09 18:12
S33	126	(provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) near15 (id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 18:31
S34	68	(provid\$3 or send\$4 or sent\$1 or transmit\$4) near10 url near15 (user\$1 or client\$1) near15 (id\$1 or identification\$1) and (@ad<"19991214" or @rlad<"19991214") not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:21